

BOAB SERIES CARAVANS





Our commitment to consistently supply products that adhere to all relevant Australian Design Rules and Federal Compliance Regulations. When making your purchase, have the confidence in knowing products from Willow are regularly inspected against this commitment.

Why Willow RV Caravans

We are a 100% Australian owned company, with our manufacturing facility located in Pakenham, Victoria. We are proud of our over 45 years of combined experience in the research, development and production of recreational vehicles, and we go out of our way to pay attention to what our owners want! Taking the great ideas and feedback of current customers, consulting caravanning experts, and listening to serious travellers is how we shape the innovative features and standout quality of the entire Willow RV range.

Caravan Construction

Our van walls, floors, roofs and furniture are all machined using the latest computer numerically controlled technology. We take pride in our focus on the details and exceptional functionality within every design. Combined with our tough and lightweight composite internal cabinetry material, your new van is durable and looks great thanks to our modern and fresh interior designs!

Suspension and Chassis Design


All Willow RV caravans are designed with unique weight distribution functionality to ensure you have the confidence of superior towing stability. Each caravan is built on a foundation of our market leading, independently engineered, and hot dipped galvanised Australian steel chassis, offering a strong yet lightweight frame, with AL-KO independent trailing arm suspension and off-road brake system.



With Willow RV, you are more covered than ever with our 3-year warranty on all aspects of the van manufacture and assembly. Standard across our entire caravan range!


From the moment you register your brand new Willow, we have you covered, so let your journey begin and enjoy the peace of mind that a Willow RV offers.

BOAB 5517




ATM Weight (kg)	3,200
Tare Weight (kg) (Approx)	2,395
Payload (kg) (Approx)	800
Tow Ball Weight (kg) (Approx)	195
Body Length (mm)	5,870 (19'3")
Overall Height (mm)	2,955 (9'8")
Overall Length (mm)	7,984 (26'2")
Overall Width (mm)	2,470 (8'1")
Internal Height (mm)	1,950 (6'4")
Internal Width (mm)	2,250 (7'3")
Internal Length (mm)	5,735 (18'10")

BOAB 5224




ATM Weight (kg)	2,600
Tare Weight (kg) (Approx)	2,150
Payload (kg) (Approx)	450
Tow Ball Weight (kg) (Approx)	145
Body Length (mm)	5,750 (18'10")
Overall Height (mm)	2,955 (9'8")
Overall Length (mm)	7,564 (24'9")
Overall Width (mm)	2,470 (8'1")
Internal Height (mm)	1,950 (6'4")
Internal Width (mm)	2,250 (7'3")
Internal Length (mm)	5,485 (17'11")

BOAB 5260




ATM Weight (kg)	2,600
Tare Weight (kg) (Approx)	2,175
Payload (kg) (<i>Approx</i>)	500
Tow Ball Weight (kg) (Approx)	140
Body Length (mm)	5,750 (18'10")
Overall Height (mm)	2,955 (9'8")
Overall Length (mm)	7,564 (24'9")
Overall Width (mm)	2,470 (8'1")
Internal Height (mm)	1,950 (6'4")
Internal Width (mm)	2,250 (7'3")
Internal Length (mm)	5,485 (17'11")

BOAB 5529




ATM Weight (kg)	3,200
Tare Weight (kg) (Approx)	2,440
Payload (kg) (Approx)	760
Tow Ball Weight (kg) (Approx)	160
Body Length (mm)	5,870 (19'3")
Overall Height (mm)	2,955 (9'8")
Overall Length (mm)	7,984 (26'2")
Overall Width (mm)	2,470 (8'1")
Internal Height (mm)	1,950 (6'4")
Internal Width (mm)	2,250 (7'3")
Internal Length (mm)	5,735 (18'10")

BOAB 621




ATM Weight (kg)	3,200
Tare Weight (kg) (Approx)	2,510
Payload (kg) (<i>Approx</i>)	690
Tow Ball Weight (kg) (Approx)	210
Body Length (mm)	6,380 (20'11")
Overall Height (mm)	2,955 (9'8")
Overall Length (mm)	8,490 (27'10")
Overall Width (mm)	2,470 (8'1")
Internal Height (mm)	1,950 (6'4")
Internal Width (mm)	2,250 (7'3")
Internal Length (mm)	6,113 (20')

BOAB 625




ATM Weight (kg)	2 200
ATM Weight (kg)	3,200
Tare Weight (kg) (Approx)	2,470
Payload (kg) (Approx)	730
Tow Ball Weight (kg) (Approx)	160
Body Length (mm)	6,380 (20'11")
Overall Height (mm)	2,955 (9'8")
Overall Length (mm)	8,490 (27'10")
Overall Width (mm)	2,470 (8'1")
Internal Height (mm)	1,950 (6'4")
Internal Width (mm)	2,250 (7'3")
Internal Length (mm)	6,113 (20')

BOAB 629



ATM Weight (kg)	3,200
Tare Weight (kg) (Approx)	2,505
Payload (kg) (Approx)	700
Tow Ball Weight (kg) (Approx)	175
Body Length (mm)	6,380 (20'11")
Overall Height (mm)	2,955 (9'8")
Overall Length (mm)	8,490 (27'10")
Overall Width (mm)	2,470 (8'1")
Internal Height (mm)	1,950 (6'4")
Internal Width (mm)	2,250 (7'3")
Internal Length (mm)	6,113 (20')

BOAB 661



ATM Weight (kg)	3,200
Tare Weight (kg) (Approx)	2,580
Payload (kg) (Approx)	700
Tow Ball Weight (kg) (Approx)	180
Body Length (mm)	6,380 (20'11")
Overall Height (mm)	2,955 (9'8")
Overall Length (mm)	8,490 (27'10")
Overall Width (mm)	2,470 (8'1")
Internal Height (mm)	1,950 (6'4")
Internal Width (mm)	2,250 (7'3")
Internal Length (mm)	6,113 (20')

BOAB STANDARD INCLUSIONS

INTERNAL

- Modern and Contemporary Style Furniture
- Laminate Bench Tops
- Residential Grade Soft Close Drawers
- Toughened Residential Grade Hinge Assembly
- One-Piece Vinyl Floor Covering
- One-Piece Composite Floor
- · Bulkheads with Downlights
- Slatted Bed Frame Gas Strut Assisted (on selected models)
- Appointed Leatherette Seat Coverings
- Caravan Queen Size Mattress with Inner-Springs
- 12v LED Lighting Throughout
- 240v Power Points
- Ambiance Lights

APPLIANCES

- Thetford Fridge 186 Litres 12v/240v/Gas
- 3.4kw Reverse Cycle Roof Top Air Conditioner
- TV Antenna
- Cook-Top 3 Gas Burner and 240v Electric Single Plate and Griller
- Microwave
- Rangehood with 12v Twin Fans and Lighting
- Sirocco 12v Fans in 2 Locations
- Digital TV
- 2.5kg Washing Machine
- Stereo Radio System with CD Player
- Large Roof Hatch with Fly Screen and Privacy Screen

PLUMBING

- 12v Water Pump
- Mains Pressure Tap to A-Frame
- Twin 95 Litre Water Tanks with Guard Protection
- 100 Litre Grey Water Tank with Guard Protection
- 20 Litre Hot Water System with Dual Operation Gas/240v
- Spacious Shower Cubicle
- Ceramic Ensuite Basin with Hot and Cold Water Flick-Mixer Tap
- Thetford Cassette Toilet
- Dual 9kg Gas Bottles
- Gas Bayonet Connection
- 95 Litre Grey Water Tank with Guard Protection

CHASSIS

- 6" Fully Hot Dipped Galvansied Chassis
- 6" Reinforced Cross Members
- Electric Drum Brakes
- AL-KO EnduroX Clamshell Suspension Arm
- Drop-Down Corner Support Jacks
- Reinforced Galvansied Bumper Bar
- Extended A-Frame
- Emergency Break-Away Device
- Centre A-Frame Jockey Wheel
- Tyre Changer Lifting Jack
- Matching Alloy Spare Wheel

ELECTRICAL

- Dual 170 watt Solar Panels and Regulator
- 100AH Deep Cycle Battery
- Electronic Display Controller
- Complete LED Lighting:
 - Downlights
 - Ambient Lighting
 - Reading Lights
 - Tunnel Boot Lighting
 - Annexe Lights
- 12 Pin Tow Plug

EXTERNAL

- Instaltuff Hail-Resistant One-Piece Composite Panels for Roof/Sides/Rear
- One-Piece Composite Floor
- Checker Plate Body Protection on Front/Sides/Rear
- DO35 Cruisemaster Coupler
- Quad-Locking Security Door
- Double-Glazed Windows with Built-In Fly/ Privacy Screen
- Roll-Out Awning
- Picnic Table
- Weather Proof 240v Outlet
- External Entertainment Hatch (on selected models)
- Entry Step
- Grab Handle with Lighting

Authorised Dealership for Willow RV